

Original Data

SO #	Customer #	Customer I	Part Numb	Custom Pa	Curr Code	Qty	Unit Price	Amount	Bill From Date	Bill To Date	Source	Rule	IBX
hk00012	3980	A	TECHNC	CC00001.F	Being Crec	USD	-1	30	-30	27-Feb-10	HK1	CREDIT	HK1
hk00012	3980	A	TECHNC	CAB00178	Being Crec	USD	-1	136.71	-136.71	27-Feb-10	HK1	CREDIT	HK1
hk00012	3980	A	TECHNC	POW00071	Being Crec	USD	-1	82.71	-82.71	27-Feb-10	HK1	CREDIT	HK1

after upload

DUMP(IBX)	LENGTH(IBX)	IBX	TRIM(IBX)	LENGTH(TRIM(IBX))	DUMP(IBX,10)	DUMP(IBX,17)	DUMP(IBX,1008)	DUMP(IBX,1016)	DUMP(IBX,1017)
Typ=1 Len=4: 72,75,49,13	4	HK1	HK1	4	Typ=1 Len=4: H,K,1,^M	Typ=1 Len=4: H,K,1,^M	Typ=1 Len=4: H,K,1,^M	Typ=1 Len=4: H,K,1,^M	CharacterSet=US7ASCII: H,K,1,^M
Typ=1 Len=4: 72,75,49,13	4	HK1	HK1	4	Typ=1 Len=4: H,K,1,^M	Typ=1 Len=4: H,K,1,^M	Typ=1 Len=4: H,K,1,^M	Typ=1 Len=4: H,K,1,^M	CharacterSet=US7ASCII: H,K,1,^M
Typ=1 Len=4: 72,75,49,13	4	HK1	HK1	4	Typ=1 Len=4: H,K,1,^M	Typ=1 Len=4: H,K,1,^M	Typ=1 Len=4: H,K,1,^M	Typ=1 Len=4: H,K,1,^M	CharacterSet=US7ASCII: H,K,1,^M

The screenshot shows a SQL client window with a query editor and a data grid. The query is:

```

SELECT DUMP(ibx).length(ibx).IBX.trim(ibx).length(trim(ibx)).--instr( IEX, '^M' ),
dump(ibx, 10).dump(ibx, 17).dump(ibx, 1008).dump(ibx, 1016).dump(ibx,1017)
FROM eqx_ar_usage_invoices_stg
    
```

The data grid below the query shows the following results:

DUMP(IBX)	LENGTH(IBX)	IBX	TRIM(IBX)	LENGTH(TRIM(IBX))	DUMP(IBX, 10)	DUMP(IBX, 17)	DUMP(IBX, 1008)	DUMP(IBX, 1016)
Typ=1 Len=4: 72,75,49,13	4	HK1	HK1	4	Typ=1 Len=4: 72,75,49,13	Typ=1 Len=4: H,K,1,^M	Typ=1 Len=4 CharacterSet=US7ASCII: 110,113,61,15	Typ=1 Len=4 C
Typ=1 Len=4: 72,75,49,13	4	HK1	HK1	4	Typ=1 Len=4: 72,75,49,13	Typ=1 Len=4: H,K,1,^M	Typ=1 Len=4 CharacterSet=US7ASCII: 110,113,61,15	Typ=1 Len=4 C
Typ=1 Len=4: 72,75,49,13	4	HK1	HK1	4	Typ=1 Len=4: 72,75,49,13	Typ=1 Len=4: H,K,1,^M	Typ=1 Len=4 CharacterSet=US7ASCII: 110,113,61,15	Typ=1 Len=4 C